

TX station: 1xAkg7

Gain solid integration : disabled

Site Name: Labelitaly

**General data of Antenna System**

TX station	1xAkg7
Site Name	Labelitaly
System of coordinates	Geographic
Longitude	00°00'00.000"
Latitude	00°00'00.000"
Ground level a.s.l. (m)	100.0
Antenna system height (m)	30.0
Transmitter power(Watt)	1000.000
Carrier wave frequency (MHz)	98.000
Antenna system central frequency (MHz)	98.000
Antenna base diagrams type 1	LABEL ITALY-AKG_7 CIRC. POL. FM WB
Antenna base diagrams type 2	-
Polarization (H/V/C/X)	C
Transmitting cable attenuation (dB)	0.0
Additional attenuations(dB)	0.0
Base diagrams sectors (T = All, F = Front)	T
Velocity factor of cables to Antennas (0÷1)	0.88
Coordinate System(C = cartesian, P = polar)	P
Mast side / diameter(cm):	10.0
Mast cross section (T/Q/C)	C
Structure rotation w.r.t. North (°)	0.0
Mast rotation w.r.t. North (°)	0.0

**Information about antennas used in the System**

	<i>Antenna type 1</i>
Manufacturer	LABEL ITALY
Antenna model	AKG_7 CIRC. POL. FM
Band start(MHz)	88
Band stop(MHz)	108
diagrams Frequency(MHz)	98
Polariz (H,V,C,X)	C
Vertical dist (cm)	260
Height (cm)	124
Width (cm)	115
Thickness (cm)	150
Weight (Kg)	12
Maximum power (KW)	3
Gain (dBd)	-1.5
North E.C. (cm)	0
East E.C. (cm)	0
Return loss (dB)	21
R.C.Phase (°)	0

TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly


Geometr. and electrical data of Antenna System

	<i>Power</i> (%)	<i>Tilt</i> (°)	<i>Az.</i> (°/N)	<i>Phase</i> (°)		<i>V dist.</i> (m)	<i>Scr-d</i> (cm)	<i>Scr-Az</i> (°/N)	<i>Rot.</i> (1÷4)	<i>Type</i> (1÷2)	<i>L cables</i> (cm)	<i>Car. phase</i> (°)
1	100.000	0	0	0	+0.0	0.00	0.0	0.0	1	1	0.0	0.0


TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Plan of antenna system



Side of antenna system



TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Antennas arrays data

A. Antennas array azimuth (°/N)	0
B. Number of antennas	1
C. Nominal power supply (W)	1000.00
D. Losses (addit. + cables) (dB)	0.0
E. Effective power supply (W)	1000.00
F. Theor. maximum gain (dBd)	-1.50
G. Distribution losses (dB)	0.00
H. Nominal max gain [F - G] (dBd)	-1.50
I. Compensation losses (dB)	0.00
J. Effec. max gain [H - I] (dBd)	-1.50
K. Effec. max gain (times)	0.71
L. Effec. max power [E * K] (KW)	0.7079
M. Max power depr. angle (°)	0.0
N. Max power az. angle (°)	300


Diagram in dBK calculated at horizon

Az. (°/N)	dBK	Az. (°/N)	dBK	Az. (°/N)	dBK	Az. (°/N)	dBK
0	-2.1	90	-2.5	180	-9.1	270	-2.5
10	-2.1	100	-3.5	190	-9.0	280	-1.8
20	-2.1	110	-4.8	200	-9.0	290	-1.6
30	-1.9	120	-6.3	210	-8.7	300	-1.5
40	-1.7	130	-7.5	220	-8.3	310	-1.6
50	-1.6	140	-8.3	230	-7.5	320	-1.7
60	-1.5	150	-8.7	240	-6.3	330	-1.9
70	-1.6	160	-9.0	250	-4.8	340	-2.1
80	-1.8	170	-9.0	260	-3.5	350	-2.1

TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Horizontal diagram at 0.0° depres. (Total Antenna)



0.0° depres. (Total Antenna), Gain (dBd): -1.5 ERP T.Max(KW): 0.7079 ERP E.Max(KW): 0.7079

TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Horizontal diagram at 0.0° depres. (Total Antenna)

Az (°)	Er (%)	ERP (W)	Az (°)	Er (%)	ERP (W)	Az (°)	Er (%)	ERP (W)
0.0	92.9	610.6	60.0	100.0	707.9	120.0	57.8	236.6
1.0	92.9	610.9	61.0	100.0	707.7	121.0	57.0	229.7
2.0	92.9	611.2	62.0	100.0	707.5	122.0	56.1	223.1
3.0	92.9	611.5	63.0	99.9	707.2	123.0	55.3	216.6
4.0	93.0	611.8	64.0	99.9	707.0	124.0	54.5	210.4
5.0	93.0	612.1	65.0	99.9	706.7	125.0	53.7	204.3
6.0	93.0	612.5	66.0	99.7	704.4	126.0	53.0	198.8
7.0	93.1	613.0	67.0	99.6	702.0	127.0	52.3	193.4
8.0	93.1	613.4	68.0	99.4	699.6	128.0	51.6	188.2
9.0	93.1	613.9	69.0	99.2	697.2	129.0	50.9	183.1
10.0	93.2	614.3	70.0	99.1	694.8	130.0	50.2	178.2
11.0	93.1	614.0	71.0	98.8	691.1	131.0	49.6	174.5
12.0	93.1	613.8	72.0	98.5	687.5	132.0	49.1	170.9
13.0	93.1	613.5	73.0	98.3	683.8	133.0	48.6	167.3
14.0	93.1	613.2	74.0	98.0	680.1	134.0	48.1	163.9
15.0	93.1	613.0	75.0	97.8	676.5	135.0	47.6	160.5
16.0	93.2	614.9	76.0	97.4	671.8	136.0	47.2	157.9
17.0	93.3	616.8	77.0	97.1	667.1	137.0	46.8	155.3
18.0	93.5	618.7	78.0	96.7	662.5	138.0	46.4	152.7
19.0	93.6	620.7	79.0	96.4	657.9	139.0	46.1	150.3
20.0	93.8	622.6	80.0	96.1	653.3	140.0	45.7	147.8
21.0	93.9	624.8	81.0	95.5	645.6	141.0	45.5	146.3
22.0	94.1	627.0	82.0	94.9	637.9	142.0	45.2	144.8
23.0	94.3	629.2	83.0	94.4	630.3	143.0	45.0	143.3
24.0	94.4	631.4	84.0	93.8	622.7	144.0	44.8	141.9
25.0	94.6	633.6	85.0	93.2	615.2	145.0	44.6	140.5
26.0	94.8	636.6	86.0	92.5	605.4	146.0	44.3	139.1
27.0	95.1	639.6	87.0	91.7	595.7	147.0	44.1	137.7
28.0	95.3	642.6	88.0	91.0	586.1	148.0	43.9	136.4
29.0	95.5	645.6	89.0	90.2	576.5	149.0	43.7	135.0
30.0	95.7	648.7	90.0	89.5	567.1	150.0	43.5	133.7
31.0	96.0	651.8	91.0	88.6	556.3	151.0	43.3	132.9
32.0	96.2	655.0	92.0	87.8	545.3	152.0	43.2	132.1
33.0	96.4	658.2	93.0	86.9	534.2	153.0	43.1	131.2
34.0	96.7	661.4	94.0	85.9	522.8	154.0	42.9	130.4
35.0	96.9	664.6	95.0	85.0	511.4	155.0	42.8	129.6
36.0	97.1	666.9	96.0	83.9	498.3	156.0	42.7	129.0
37.0	97.2	669.2	97.0	82.8	485.2	157.0	42.6	128.3
38.0	97.4	671.6	98.0	81.7	472.2	158.0	42.5	127.7
39.0	97.6	673.9	99.0	80.5	459.3	159.0	42.4	127.1
40.0	97.7	676.2	100.0	79.4	446.5	160.0	42.3	126.4
41.0	97.9	678.7	101.0	78.3	434.3	161.0	42.2	126.3
42.0	98.1	681.1	102.0	77.2	422.2	162.0	42.2	126.1
43.0	98.3	683.5	103.0	76.1	410.3	163.0	42.2	126.0
44.0	98.4	686.0	104.0	75.0	398.6	164.0	42.2	125.8
45.0	98.6	688.5	105.0	73.9	387.0	165.0	42.1	125.7
46.0	98.7	689.3	106.0	72.7	374.6	166.0	42.1	125.5
47.0	98.7	690.2	107.0	71.5	362.3	167.0	42.1	125.3
48.0	98.8	691.0	108.0	70.4	350.4	168.0	42.0	125.1
49.0	98.9	691.9	109.0	69.2	338.8	169.0	42.0	124.9
50.0	98.9	692.7	110.0	68.0	327.5	170.0	42.0	124.8
51.0	99.1	694.9	111.0	67.0	317.4	171.0	41.9	124.5
52.0	99.2	697.1	112.0	65.9	307.5	172.0	41.9	124.2
53.0	99.4	699.3	113.0	64.9	297.8	173.0	41.8	124.0
54.0	99.5	701.4	114.0	63.8	288.5	174.0	41.8	123.7
55.0	99.7	703.6	115.0	62.8	279.4	175.0	41.8	123.5
56.0	99.8	704.5	116.0	61.8	270.3	176.0	41.8	123.4
57.0	99.8	705.4	117.0	60.8	261.4	177.0	41.7	123.4
58.0	99.9	706.2	118.0	59.8	252.9	178.0	41.7	123.4
59.0	99.9	707.1	119.0	58.8	244.6	179.0	41.7	123.3

TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Horizontal diagram at 0.0° depres. (Total Antenna)

Az (°)	Er (%)	ERP (W)	Az (°)	Er (%)	ERP (W)	Az (°)	Er (%)	ERP (W)
180.0	41.7	123.3	240.0	57.8	236.6	300.0	100.0	707.9
181.0	41.7	123.3	241.0	58.8	244.6	301.0	99.9	707.1
182.0	41.7	123.4	242.0	59.8	252.9	302.0	99.9	706.2
183.0	41.7	123.4	243.0	60.8	261.4	303.0	99.8	705.4
184.0	41.8	123.4	244.0	61.8	270.3	304.0	99.8	704.5
185.0	41.8	123.5	245.0	62.8	279.4	305.0	99.7	703.6
186.0	41.8	123.7	246.0	63.8	288.5	306.0	99.5	701.4
187.0	41.8	124.0	247.0	64.9	297.8	307.0	99.4	699.3
188.0	41.9	124.2	248.0	65.9	307.5	308.0	99.2	697.1
189.0	41.9	124.5	249.0	67.0	317.4	309.0	99.1	694.9
190.0	42.0	124.8	250.0	68.0	327.5	310.0	98.9	692.7
191.0	42.0	124.9	251.0	69.2	338.8	311.0	98.9	691.9
192.0	42.0	125.1	252.0	70.4	350.4	312.0	98.8	691.0
193.0	42.1	125.3	253.0	71.5	362.3	313.0	98.7	690.2
194.0	42.1	125.5	254.0	72.7	374.6	314.0	98.7	689.3
195.0	42.1	125.7	255.0	73.9	387.0	315.0	98.6	688.5
196.0	42.2	125.8	256.0	75.0	398.6	316.0	98.4	686.0
197.0	42.2	126.0	257.0	76.1	410.3	317.0	98.3	683.5
198.0	42.2	126.1	258.0	77.2	422.2	318.0	98.1	681.1
199.0	42.2	126.3	259.0	78.3	434.3	319.0	97.9	678.7
200.0	42.3	126.4	260.0	79.4	446.5	320.0	97.7	676.2
201.0	42.4	127.1	261.0	80.5	459.3	321.0	97.6	673.9
202.0	42.5	127.7	262.0	81.7	472.2	322.0	97.4	671.6
203.0	42.6	128.3	263.0	82.8	485.2	323.0	97.2	669.2
204.0	42.7	129.0	264.0	83.9	498.3	324.0	97.1	666.9
205.0	42.8	129.6	265.0	85.0	511.4	325.0	96.9	664.6
206.0	42.9	130.4	266.0	85.9	522.8	326.0	96.7	661.4
207.0	43.1	131.2	267.0	86.9	534.2	327.0	96.4	658.2
208.0	43.2	132.1	268.0	87.8	545.3	328.0	96.2	655.0
209.0	43.3	132.9	269.0	88.6	556.3	329.0	96.0	651.8
210.0	43.5	133.7	270.0	89.5	567.1	330.0	95.7	648.7
211.0	43.7	135.0	271.0	90.2	576.5	331.0	95.5	645.6
212.0	43.9	136.4	272.0	91.0	586.1	332.0	95.3	642.6
213.0	44.1	137.7	273.0	91.7	595.7	333.0	95.1	639.6
214.0	44.3	139.1	274.0	92.5	605.4	334.0	94.8	636.6
215.0	44.6	140.5	275.0	93.2	615.2	335.0	94.6	633.6
216.0	44.8	141.9	276.0	93.8	622.7	336.0	94.4	631.4
217.0	45.0	143.3	277.0	94.4	630.3	337.0	94.3	629.2
218.0	45.2	144.8	278.0	94.9	637.9	338.0	94.1	627.0
219.0	45.5	146.3	279.0	95.5	645.6	339.0	93.9	624.8
220.0	45.7	147.8	280.0	96.1	653.3	340.0	93.8	622.6
221.0	46.1	150.3	281.0	96.4	657.9	341.0	93.6	620.7
222.0	46.4	152.7	282.0	96.7	662.5	342.0	93.5	618.7
223.0	46.8	155.3	283.0	97.1	667.1	343.0	93.3	616.8
224.0	47.2	157.9	284.0	97.4	671.8	344.0	93.2	614.9
225.0	47.6	160.5	285.0	97.8	676.5	345.0	93.1	613.0
226.0	48.1	163.9	286.0	98.0	680.1	346.0	93.1	613.2
227.0	48.6	167.3	287.0	98.3	683.8	347.0	93.1	613.5
228.0	49.1	170.9	288.0	98.5	687.5	348.0	93.1	613.8
229.0	49.6	174.5	289.0	98.8	691.1	349.0	93.1	614.0
230.0	50.2	178.2	290.0	99.1	694.8	350.0	93.2	614.3
231.0	50.9	183.1	291.0	99.2	697.2	351.0	93.1	613.9
232.0	51.6	188.2	292.0	99.4	699.6	352.0	93.1	613.4
233.0	52.3	193.4	293.0	99.6	702.0	353.0	93.1	613.0
234.0	53.0	198.8	294.0	99.7	704.4	354.0	93.0	612.5
235.0	53.7	204.3	295.0	99.9	706.7	355.0	93.0	612.1
236.0	54.5	210.4	296.0	99.9	707.0	356.0	93.0	611.8
237.0	55.3	216.6	297.0	99.9	707.2	357.0	92.9	611.5
238.0	56.1	223.1	298.0	100.0	707.5	358.0	92.9	611.2
239.0	57.0	229.7	299.0	100.0	707.7	359.0	92.9	610.9


TX station: 1xAkg7

Frequency: 98.00 MHz

Gain solid integration : disabled

Site Name: Labelitaly

## Vertical diagram at an azimuth of 0.0° degrees



0.0° Az. (Total Antenna), Gain (dBd): -2.14

ERP T.Max(KW): 0.6106 ERP E.Max(KW): 0.6106



TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Vertical diagram at an azimuth of 0.0° degrees

Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)
0.0	100.0	610.6	60.0	44.8	122.8	120.0	39.2	93.9
1.0	99.9	609.8	61.0	43.1	113.3	121.0	39.6	95.8
2.0	99.9	609.1	62.0	41.3	104.1	122.0	40.0	97.6
3.0	99.8	608.4	63.0	39.5	95.4	123.0	40.4	99.5
4.0	99.8	607.6	64.0	37.8	87.0	124.0	40.7	101.3
5.0	99.7	606.9	65.0	36.0	79.1	125.0	41.1	103.2
6.0	99.6	605.6	66.0	34.2	71.5	126.0	41.4	104.7
7.0	99.5	604.4	67.0	32.5	64.3	127.0	41.7	106.2
8.0	99.4	603.2	68.0	30.7	57.5	128.0	42.0	107.7
9.0	99.3	601.9	69.0	28.9	51.1	129.0	42.3	109.1
10.0	99.2	600.7	70.0	27.2	45.0	130.0	42.6	110.6
11.0	98.9	596.7	71.0	25.5	39.9	131.0	42.8	111.9
12.0	98.5	592.7	72.0	23.9	35.0	132.0	43.1	113.2
13.0	98.2	588.6	73.0	22.3	30.5	133.0	43.3	114.4
14.0	97.9	584.7	74.0	20.7	26.2	134.0	43.5	115.7
15.0	97.5	580.7	75.0	19.1	22.3	135.0	43.8	116.9
16.0	97.1	575.4	76.0	17.8	19.4	136.0	44.0	118.3
17.0	96.6	570.1	77.0	16.6	16.7	137.0	44.3	119.7
18.0	96.2	564.8	78.0	15.3	14.2	138.0	44.5	121.0
19.0	95.7	559.5	79.0	14.0	11.9	139.0	44.8	122.3
20.0	95.3	554.3	80.0	12.7	9.9	140.0	45.0	123.4
21.0	94.6	546.1	81.0	12.0	8.8	141.0	45.0	123.6
22.0	93.9	538.0	82.0	11.2	7.7	142.0	45.0	123.7
23.0	93.2	529.9	83.0	10.5	6.7	143.0	45.0	123.8
24.0	92.5	521.9	84.0	9.8	5.8	144.0	45.1	124.0
25.0	91.7	513.9	85.0	9.0	5.0	145.0	45.1	124.1
26.0	90.9	504.0	86.0	9.2	5.2	146.0	45.1	124.1
27.0	90.0	494.2	87.0	9.4	5.4	147.0	45.1	124.0
28.0	89.1	484.5	88.0	9.6	5.7	148.0	45.1	124.0
29.0	88.2	474.9	89.0	9.8	5.9	149.0	45.1	124.0
30.0	87.3	465.3	90.0	10.0	6.1	150.0	45.1	124.0
31.0	86.2	453.5	91.0	11.9	8.7	151.0	45.1	124.0
32.0	85.1	441.9	92.0	13.0	10.4	152.0	45.1	124.0
33.0	84.0	430.4	93.0	14.1	12.2	153.0	45.1	123.9
34.0	82.9	419.1	94.0	15.2	14.2	154.0	45.0	123.9
35.0	81.7	407.9	95.0	16.3	16.3	155.0	45.0	123.9
36.0	80.5	395.8	96.0	17.6	19.0	156.0	45.0	123.8
37.0	79.3	383.8	97.0	19.0	21.9	157.0	45.0	123.7
38.0	78.0	371.9	98.0	20.2	25.0	158.0	45.0	123.7
39.0	76.8	360.3	99.0	21.5	28.3	159.0	45.0	123.6
40.0	75.6	348.9	100.0	22.8	31.7	160.0	45.0	123.5
41.0	74.3	336.6	101.0	23.9	34.9	161.0	45.0	123.5
42.0	72.9	324.6	102.0	25.1	38.3	162.0	45.0	123.4
43.0	71.6	312.8	103.0	26.2	41.8	163.0	45.0	123.4
44.0	70.2	301.2	104.0	27.3	45.4	164.0	44.9	123.3
45.0	68.9	289.9	105.0	28.3	49.1	165.0	44.9	123.3
46.0	67.4	277.5	106.0	29.2	52.2	166.0	44.9	123.3
47.0	65.9	265.4	107.0	30.1	55.3	167.0	44.9	123.3
48.0	64.4	253.6	108.0	31.0	58.5	168.0	44.9	123.3
49.0	63.0	242.0	109.0	31.8	61.8	169.0	44.9	123.3
50.0	61.5	230.7	110.0	32.6	65.1	170.0	44.9	123.3
51.0	59.9	219.0	111.0	33.4	68.3	171.0	44.9	123.3
52.0	58.3	207.6	112.0	34.2	71.5	172.0	44.9	123.3
53.0	56.7	196.4	113.0	35.0	74.8	173.0	44.9	123.3
54.0	55.1	185.6	114.0	35.8	78.1	174.0	44.9	123.3
55.0	53.6	175.1	115.0	36.5	81.4	175.0	44.9	123.3
56.0	51.8	163.9	116.0	37.1	83.9	176.0	44.9	123.3
57.0	50.1	153.1	117.0	37.6	86.4	177.0	44.9	123.3
58.0	48.3	142.6	118.0	38.2	88.9	178.0	44.9	123.3
59.0	46.6	132.5	119.0	38.7	91.4	179.0	44.9	123.3

TX station: 1xAkg7  
Frequency: 98.00 MHz  
Gain solid integration : disabled

Site Name: Labelitaly

Vertical diagram at an azimuth of 0.0° degrees

Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)
180.0	44.9	123.3	240.0	39.2	93.9	300.0	44.8	122.8
181.0	44.9	123.3	241.0	38.7	91.4	301.0	46.6	132.5
182.0	44.9	123.3	242.0	38.2	88.9	302.0	48.3	142.6
183.0	44.9	123.3	243.0	37.6	86.4	303.0	50.1	153.1
184.0	44.9	123.3	244.0	37.1	83.9	304.0	51.8	163.9
185.0	44.9	123.3	245.0	36.5	81.4	305.0	53.6	175.1
186.0	44.9	123.3	246.0	35.8	78.1	306.0	55.1	185.6
187.0	44.9	123.3	247.0	35.0	74.8	307.0	56.7	196.4
188.0	44.9	123.3	248.0	34.2	71.5	308.0	58.3	207.6
189.0	44.9	123.3	249.0	33.4	68.3	309.0	59.9	219.0
190.0	44.9	123.3	250.0	32.6	65.1	310.0	61.5	230.7
191.0	44.9	123.3	251.0	31.8	61.8	311.0	63.0	242.0
192.0	44.9	123.3	252.0	31.0	58.5	312.0	64.4	253.6
193.0	44.9	123.3	253.0	30.1	55.3	313.0	65.9	265.4
194.0	44.9	123.3	254.0	29.2	52.2	314.0	67.4	277.5
195.0	44.9	123.3	255.0	28.3	49.1	315.0	68.9	289.9
196.0	44.9	123.3	256.0	27.3	45.4	316.0	70.2	301.2
197.0	45.0	123.4	257.0	26.2	41.8	317.0	71.6	312.8
198.0	45.0	123.4	258.0	25.1	38.3	318.0	72.9	324.6
199.0	45.0	123.5	259.0	23.9	34.9	319.0	74.3	336.6
200.0	45.0	123.5	260.0	22.8	31.7	320.0	75.6	348.9
201.0	45.0	123.6	261.0	21.5	28.3	321.0	76.8	360.3
202.0	45.0	123.7	262.0	20.2	25.0	322.0	78.0	371.9
203.0	45.0	123.7	263.0	19.0	21.9	323.0	79.3	383.8
204.0	45.0	123.8	264.0	17.6	19.0	324.0	80.5	395.8
205.0	45.0	123.9	265.0	16.3	16.3	325.0	81.7	407.9
206.0	45.0	123.9	266.0	15.2	14.2	326.0	82.9	419.1
207.0	45.1	123.9	267.0	14.1	12.2	327.0	84.0	430.4
208.0	45.1	124.0	268.0	13.0	10.4	328.0	85.1	441.9
209.0	45.1	124.0	269.0	11.9	8.7	329.0	86.2	453.5
210.0	45.1	124.0	270.0	10.0	6.1	330.0	87.3	465.3
211.0	45.1	124.0	271.0	9.8	5.9	331.0	88.2	474.9
212.0	45.1	124.0	272.0	9.6	5.7	332.0	89.1	484.5
213.0	45.1	124.0	273.0	9.4	5.4	333.0	90.0	494.2
214.0	45.1	124.1	274.0	9.2	5.2	334.0	90.9	504.0
215.0	45.1	124.1	275.0	9.0	5.0	335.0	91.7	513.9
216.0	45.1	124.0	276.0	9.8	5.8	336.0	92.5	521.9
217.0	45.0	123.8	277.0	10.5	6.7	337.0	93.2	529.9
218.0	45.0	123.7	278.0	11.2	7.7	338.0	93.9	538.0
219.0	45.0	123.6	279.0	12.0	8.8	339.0	94.6	546.1
220.0	45.0	123.4	280.0	12.7	9.9	340.0	95.3	554.3
221.0	44.8	122.3	281.0	14.0	11.9	341.0	95.7	559.5
222.0	44.5	121.0	282.0	15.3	14.2	342.0	96.2	564.8
223.0	44.3	119.7	283.0	16.6	16.7	343.0	96.6	570.1
224.0	44.0	118.3	284.0	17.8	19.4	344.0	97.1	575.4
225.0	43.8	116.9	285.0	19.1	22.3	345.0	97.5	580.7
226.0	43.5	115.7	286.0	20.7	26.2	346.0	97.9	584.7
227.0	43.3	114.4	287.0	22.3	30.5	347.0	98.2	588.6
228.0	43.1	113.2	288.0	23.9	35.0	348.0	98.5	592.7
229.0	42.8	111.9	289.0	25.5	39.9	349.0	98.9	596.7
230.0	42.6	110.6	290.0	27.2	45.0	350.0	99.2	600.7
231.0	42.3	109.1	291.0	28.9	51.1	351.0	99.3	601.9
232.0	42.0	107.7	292.0	30.7	57.5	352.0	99.4	603.2
233.0	41.7	106.2	293.0	32.5	64.3	353.0	99.5	604.4
234.0	41.4	104.7	294.0	34.2	71.5	354.0	99.6	605.6
235.0	41.1	103.2	295.0	36.0	79.1	355.0	99.7	606.9
236.0	40.7	101.3	296.0	37.8	87.0	356.0	99.8	607.6
237.0	40.4	99.5	297.0	39.5	95.4	357.0	99.8	608.4
238.0	40.0	97.6	298.0	41.3	104.1	358.0	99.9	609.1
239.0	39.6	95.8	299.0	43.1	113.3	359.0	99.9	609.8